

### SUGAR BEET CROP RECORD

<b>FIELD NUMBER</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>
Acres						
Units / A preplant N						
Date N applied						
Units / A Phosphate						
Date P applied						
Other fertilizer						
Date applied						
Seed variety						

<b>FIELD NUMBER</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>
Sprocket Size						
Planting date						
Seed spacing						
Pre-emerge insecticide						
Rate / A						
Emergence date						
PPI herbicide						
Rate / A						

<b>FIELD NUMBER</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>
Post herbicide						
Rate / A						
Post herbicide						
Rate / A						
Post herbicide						
Rate / A						
Post herbicide						
Rate / A						
Labor costs / A:						

FIELD NUMBER			1	2	3	4	5	6
Fungicide used:								
Date	Rate/A	App.						
		1.						
		2.						
		3.						
		4.						
Other insecticides								
Rate / A								
Harvest date								
Yield / A; % S								